

# Safety data sheet

Issue date: 10-10-2013

Version: 01.00/UK

---

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Trade name: Disposable Flint Lighter

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Lighter

### 1.3. Details of the supplier of the safety data sheet

Supplier: Polyflame Europe SA  
Z.A. des Petits Carreaux 7 avenue du Bouton d'Or  
FR-94380 Bonneuil sur Marne  
France  
Tel: +33 1 43 99 60 00  
Fax: +33 1 43 99 60 99  
Email: victor.jorge@polyflame.com

### 1.4. Emergency telephone number

Emergency telephone comments: 0870 600 6266 (UK only) Only available to health professionals.  
The emergency telephone is open 24 hours.

---

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

DPD-classification: F+;R12

CLP-classification: Flam. Gas 1;H220 Press. Gas liq. gas; H280

*Please see section 16 for the full text of R-phrases and H-phrases.*

Most serious harmful effects: Extremely flammable gas. Contains gas under pressure, may explode if heated.  
Inhalation of gas may cause lethargy and dizziness. Direct contact may cause frostbite. The skin becomes numb and white. Pains, reddening and wounds follow.

### 2.2. Label elements



Signal word: Danger

H-phrases: Extremely flammable gas.(H220)  
Contains gas under pressure, may explode if heated.(H280)

### 2.3. Other hazards

Assessment to determine PBT and vPvB has not been made.

---

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Registration number	CAS/EC Number	Substance	DSD-classification/ CLP-classification	w/w%	Note
.	74-98-6	Propane	Fx;R12	>20	.
.	200-827-9	.	Flam. Gas 1;H220 Press. Gas Liq. gas; H280	.	.
.	75-28-5-A	Isobutane (containing < 0.1 %	Fx;R12	0-70	.
.	200-857-2	butadiene (203-450-8))	Flam. Gas 1;H220 Press. Gas Liq. gas; H280	.	.
.	106-97-8	Butane (containing < 0,1 % butadiene	Fx;R12	0-70	.
.	203-448-7	(203-450-8))	Flam. Gas 1;H220 Press. Gas Liq. gas; H280	.	.

Please see section 16 for the full text of R-phrases and H-phrases.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

Inhalation:	Seek fresh air. In case of respiratory stop, administer artificial respiration/oxygen (but not the mouth-to-nose method)
Ingestion:	Not relevant, as the product is a gas.
Skin:	Wash skin with soap and water.
Eyes:	Flush with water (preferably using eye wash equipment) until irritation subsides. Seek medical advice if symptoms persist.
Burns:	Flush with water until pain ceases. Remove clothing that is not stuck to the skin – seek medical advice/transport to hospital. If possible, continue flushing until medical attention is obtained.
Other information:	When obtaining medical advice, show the safety data sheet or label.

### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation of gas may cause lethargy and dizziness. Direct contact may cause frostbite. The skin becomes numb and white. Pains, reddening and wounds follow.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms. No special immediate treatment required.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	Extinguish with powder, foam, carbon dioxide or water mist. Use water or water mist to cool non-ignited stock.
Unsuitable extinguishing media	Do not use water stream, as it may spread the fire.

### 5.2. Special hazards arising from the substance or mixture

Heating will cause a rise in pressure in packaging with a risk of bursting.  
The product decomposes when combusted and the following toxic gases can be formed:  
Carbon monoxide and carbon dioxide.

### 5.3. Advice for firefighters

Move containers from danger area if it can be done without risk. Avoid inhalation of vapour and flue gases – seek fresh air. Wear Self-Contained Breathing Apparatus (SCBA) with chemical resistant gloves.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel:	Smoking and naked flames prohibited. Take precautionary measures against static discharges. Use spark-free tools and explosion proof equipment. Stop leak if this can be done without risk. Provide good ventilation.
For emergency responders:	In addition to the above: Shut off gas supply. Provide adequate ventilation. Normal protective clothing equivalent to EN 469 is recommended.

### 6.2. Environmental precautions

Avoid unnecessary release to the environment.

### 6.3. Methods and material for containment and cleaning up

Provide good ventilation.

### 6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

---

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Running water and eye wash equipment should be available.

### 7.2. Conditions for safe storage, including any incompatibilities

Store safely, out of reach of children and away from food, animal feeding stuffs, medicines, etc.  
Pressurized container: Protect from sunlight and do not expose to temperatures exceeding 50 °C.

### 7.3. Specific end use(s)

None.

---

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Occupational exposure limits:

Ingredient:	Exposure limit	Remarks
Butane (containing < 0,1 % butadiene (203-450-8))	600 (8h), 750 (15m) ppm 1,450 (8h), 1,810 (15m) mg/m3	-

Legal basis: Commission Directive 2000/39/EC. Last amended by Commission Directive 2009/161/EU.

Remarks: Contains no substances subject to reporting requirements. Der mangler tekstEU\_UK#

Measuring methods: Compliance with the stated occupational exposure limits may be checked by occupational hygiene measurements.

### 8.2. Exposure controls

Appropriate engineering controls: Wear the personal protective equipment specified below.

Personal protective equipment, eye/face protection: Not required.

Personal protective equipment, skin protection: Not required.

Personal protective equipment, respiratory protection: Not required.

Environmental exposure controls: Ensure compliance with local regulations for emissions.

---

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

State: Gas Liquid  
Colour: Colourless  
Odour: Odourless  
Odour threshold: No data  
pH (solution for use): No data  
pH (concentrate): No data  
Melting point/freezing point: No data  
Initial boiling point and boiling range: -11 °C  
Flash point: -104 °C  
Evaporation rate: No data  
Flammability (solid, gas): No data  
Upper/lower flammability limits: No data  
Upper/lower explosive limits: No data  
Vapour pressure: No data  
Vapour density: No data

Relative density:	0,56
Solubility:	No data
Partition coefficient n-octanol/water:	No data
Auto-ignition temperature:	No data
Decomposition temperature:	No data
Viscosity:	No data
Explosive properties:	No data
Oxidising properties:	No data

## 9.2. Other information

None.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Not reactive.

### 10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

### 10.3. Possibility of hazardous reactions

None known.

### 10.4. Conditions to avoid

Avoid heating and contact with ignition sources. Do not expose to heat (e.g. sunlight). Avoid temperatures > 50 °C.

### 10.5. Incompatible materials

None known.

### 10.6. Hazardous decomposition products

Carbon monoxide and carbon dioxide.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity - oral:	By normal handling, gases cannot be ingested. The product does not have to be classified. Test data are not available.
Acute toxicity - dermal:	The product does not have to be classified. Test data are not available.
Acute toxicity - inhalation:	Inhalation of gas may cause lethargy and dizziness. The product does not have to be classified. Test data are not available.
Skin corrosion/irritation:	Direct contact may cause frostbite. The skin becomes numb and white. Pains, reddening and wounds follow. The product does not have to be classified. Test data are not available.
Serious eye damage/eye irritation:	Splashes of gas in the eyes may cause frostbite. The product does not have to be classified. Test data are not available.
Respiratory sensitisation or skin sensitisation:	The product does not have to be classified. Test data are not available.
Germ cell mutagenicity:	The product does not have to be classified. Test data are not available.
Carcinogenic properties:	The product does not have to be classified. Test data are not available.
Reproductive toxicity:	The product does not have to be classified. Test data are not available.
Single STOT exposure:	The gas may displace atmospheric air, thereby causing risk of suffocation. The product does not have to be classified. Test data are not available.
Repeated STOT exposure:	The product does not have to be classified. Test data are not available.
Aspiration hazard:	The product does not have to be classified. Test data are not available.

Other toxicological effects: None known.

---

## SECTION 12: Ecological information

### 12.1. Toxicity

The product does not have to be classified. Test data are not available.

### 12.2. Persistence and degradability

Test data are not available.

### 12.3. Bioaccumulative potential

No bioaccumulation expected.

### 12.4. Mobility in soil

Test data are not available.

### 12.5. Results of PBT and vPvB assessment

No assessment has been made.

### 12.6. Other adverse effects

None known.

---

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Avoid unnecessary release to the environment.

EWC code: Depends on line of business and use, for instance 16 05 04 gases in pressure containers (including halons) containing dangerous substances

Return empty pressure containers to the supplier.

---

## SECTION 14: Transport information

### ADR/RID

14.1. UN number 1057

14.2. UN proper shipping name LIGHTERS

14.3. Transport hazard class(es) 2.1

14.4. Packing group -

Hazard identification number

Tunnel restriction code: D

14.5. Environmental hazards The product should not be labelled as an environmental hazard (symbol: fish and tree).

### ADN

14.1. UN number 1057

14.2. UN proper shipping name LIGHTERS

14.3. Transport hazard class(es) 2.1

14.4. Packing group

14.5. Environmental hazards The product should not be labelled as an environmental hazard (symbol: fish and tree).

Environmental hazard in tank vessels: -

### IMDG

14.1. UN number 1057

14.2. UN proper shipping name

## LIGHTERS

14.3. Transport hazard class(es)	2.1
14.4. Packing group	-
14.5. Environmental hazards	The product is not a Marine Pollutant (MP).
IMDG Code segregation group:	-
<b>ICAO/IATA</b>	
14.1. UN number	1057
14.2. UN proper shipping name	LIGHTERS
14.3. Transport hazard class(es)	2.1
14.4. Packing group	
14.5. Environmental hazards	The product should not be labelled as an environmental hazard (symbol: fish and tree).
<b>14.6. Special precautions for user</b>	None.
<b>14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.

---

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Special provisions: Council Directive 96/82/EC (Seveso), Extremely flammable: Column 2: 10 t, Column 3: 50 t.  
Special care should be applied for employees under the age of 18. Young people under the age of 18 may not carry out any work causing harmful exposure to this product.

### 15.2. Chemical safety assessment

Chemical safety assessment has not been performed.

---

## SECTION 16: Other information

Abbreviation explanations:	PBT: Persistent, Bioaccumulative and Toxic vPvB: Very Persistent and Very Bioaccumulative STOT: Specific Target Organ Toxicity
Classification method:	Calculation based on the hazards of the known components.
R-phrases:	R12 Extremely flammable.
H-phrases:	H220 Extremely flammable gas. H280 Contains gas under pressure, may explode if heated.
Training:	A thorough knowledge of this safety data sheet should be a prerequisite condition.
Other information:	This safety data sheet has been prepared for and applies to this product only. It is based on our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on preparation of safety data sheets in accordance with 1907/2006/EC (REACH) as subsequently changed.

---

AOA/ Bureau Veritas HSE Denmark A/S Birkemosevej 7, DK-6000 Kolding T: +45 75508811, F: +45 75508810, E-mail: infohse@dk.bureauveritas.com, Web: www.hse.bureauveritas.dk (Made in Toxido®) UK